640-2315

MATERIAL SAFETY DATA SHEET

TECH SPRAY

PO BOX 949 Amarillo, Texas 79105

Emergency Phone: 806-372-8523

Faxback Doc. # 2950

Product Name: Radio Shack Black and White Tuner Cleaner
Number: 64-2315

Hazardous Description: Compressed Gas N.O.S. Non-Flammable Gas UN1956 (For Shipping Purposes Only)

Hazard Rating Health: 1 Fire: 0 Reactivity: 1
0-Least 1-Slight 2-Moderate 3-High 4-Extreme

I - HAZARDOUS COMPONENTS

Ingredient	CAS No.	%	Hazard
Trichlorofluoromethane	75-69-4	96	OSHA PEL 1000ppm ACGIH TLV 1000ppm Inhalation: LC50 800,000ppm in rats Oral ALD: 1000mg/kg in rats
Carbon Dioxide	124-38-9	2	OSHA PEL 10,000ppm ACGIH TLV 5000ppm
Lubricant Blend		2	Non-Hazardous

IV - HEALTH HAZARD DATA

Effects of Overexposure

INHALATION: Major route of exposure. Vapor is heavier than air and can cause suffocation by reducing the available oxygen for breathing. Breathing high concentrations of vapor may cause light-headedness, giddiness, shortness of breath, confusion, and may lead to narcosis, cardiacirregularities, unconsciousness or even death. LD50 (Rat) 26,200 ppm/4 hr.

EYES: Liquid can cause slight, temporary irritation with slight temporary corneal injury. Vapors can irritate eyes.

SKIN: Not a corrosive or irritant; however, repeated or prolonged exposure can cause defatting of skin.

INGESTION: Single dose toxicity is low to moderate. If vomiting occurs the liquid can be aspirated into the lungs, which can cause chemical pneumonia and systemic effects. Human psychotropic, gastrointestinal, and central nervous system effects possible. ALD (Rat) >3725 mg/kg.

Emergency and First Aid Procedures

INHALATION: Remove to fresh air. If breathing has stopped, administer artificial respiration. Seek medical attention.

EYES: Flush eyes for at least fifteen minutes with clear water. If irritation persists, seek medical attention.

SKIN: Wash with soap and water.

VI - SPILL OR LEAK PROCEDURES

Evacuate area. Ventilate area well and avoid breathing vapors. Vapor concentration will be highest along floor and in low lying areas. Pick up liquid on suitable absorbent and store in sealed containers.

VII - WASTE DISPOSAL METHODS

Material may be disposed of by a licensed reclaimer or incineration facility. Consult local, state, and federal disposal authorities for approved procedures.

Do not incinerate or destroy aerosol cans.

VIII - EMPLOYEE PROTECTION

Respiratory Protection:
Use NIOSH approved organic vapor mask.

Ventilation: Do not use in closed space. Ventilation required.

Hands: Solvent resistant gloves such as Viton, Polyvinyl alcohol.

Eyes: Wear splash proof safety goggles or glasses.

Special Precautions:
Keep aerosol cans in cool place out of direct sunlight. Keep this and all chemicals out of reach of children. This product for industrial use only.

IX - OTHER INFORMATION